Neues Jahrbuch für Mineralogie

Begründet 1807

Monatshefte

Redaktion
G. T. FAUST Madison New Jersey K. R. MEHNERT Berlin
H. SAALFELD Hamburg F. SEIFERT Kiel R. A. YUND Providence

Jahrgang 1980 · Mit zahlreichen Abbildungen und Tabellen im Text

E. Schweizerbart'sche Verlagsbuchhandlung
(Nägele u. Obermiller) · Stuttgart 1980

Alle Rechte, auch das der Übersetzung, vorbehalten

Printed in Germany

Jegliche Vervielfältigung einschließlich photomechanischer Wiedergabe der in dem Band enthaltenen Beiträge oder Teile daraus nur mit ausdrücklicher Genehmigung durch den Verlag

Oelschlägersche Druckerei GmbH, Calw

Inhalt

Seite

Ackermand, D. s. Yund, R. A.

Akella, J.: Quartz ⇄ coesite transition and the comparative friction measurements in piston-cylinder apparatus using talc-alsimag-glass (TAG) and NaCl high-pressure cells: A reply. With 2 figures in the text 478

Amigó, J. M., Velasco, F. & Arriortua, M. I.: X-ray and Mössbauer study of some pyroxenes related to the skarns from Santa Olalla (Huelva, Spain). With 2 figures and 4 tables in the text . . 337

Amstutz, G. C. s. Papadakis, A.

Arima, M. & Edgar, A. D.: Importance of time and H_2O contents on the analcime–H_2O system at 465 °C and 1 kbar P_{H_2O}. With 3 figures and 2 tables in the text 543

Arita, S. s. Hara, I.

Arriortua, M. I. s. Amigó, J. M.

Baltatzis, E.: Chloritoid-forming reaction in the eastern Scottish Dalradian: a possibility. With 2 figures and 2 tables in the text 306
– s. Katagas, C.

Bank, H. s. Schmetzer, K.

Bartelke, W. s. Schmetzer, K.

Basso, R., Cinacchio, M. & Della Giusta, A.: Determination of the forsterite molar fraction in Mg–Fe olivines. With 4 tables in the text 408

Bente, K.: Experimentelle Untersuchungen an Cu–Pb–Bi-Sulfosalzen im System CuS–Cu_2S–PbS–Bi_2S_3. [Experimental investigations of Cu–Pb–Bi-sulfosalts in the system CuS–Cu_2S–PbS–Bi_2S_3.] Mit 2 Abbildungen und 6 Tabellen im Text 385

Blattner, P.: Chlorine and fluorine in apatite, biotite and hornblende of basic charnockites from Kondapalli, India. With 2 figures and 1 table in the text 283

Borsi, S., Del Moro, A., Sassi, F. P., Visona', D. & Zirpoli, G.: On the existence of Hercynian aplites and pegmatites in the lower Aurina valley (Ahrntal, Austrides, Eastern Alps). With 5 figures and 2 tables in the text 501

Borsi, S., Del Moro, A., Sassi, F. P. & Zirpoli, G.: New petrographic and radiometric data on the Oetztal and Stubai orthogneisses (Eastern Alps). With 8 figures and 2 tables in the text . . 75

Bose, M. K.: Magmatically defined tectonic framework of the Deccan volcanic province. With 4 figures in the text 373

Briand, B.: Geobarometric application of the b_0 value of K-white mica to the Lot Valley and Middle Cevennes metapelites. With 7 figures in the text 529

Brunfelt, A. O. s. Reitan, P. H.

Büsch, W. & Otto, J.: Endogenetic inclusions in granites of the Black Forest, Germany. With 4 figures and 2 tables in the text 269

Burke, E. A. J.: New data on magnetoplumbite from Långban, Sweden. With 4 tables in the text 141
– Cuprostibite, cuprian galena, altaite, cuprian massicot, wittichenite, and bismuthinite from Långban, Sweden. With 1 table in the text 241

Chakraborty, D.: Influence of seed on mechanical Q of synthetic quartz single crystals. With 1 table in the text 149

Cinacchio, M. s. Basso, R.

Cipriani, N., Menchetti, S. & Sabelli, C.: Klebelsbergite and another antimony mineral from Pereta, Tuscany, Italy. With 5 figures and 1 table in the text 223

Deelman, J. C.: Monolayer drying: A new mechanism of crystal growth. With 3 figures in the text 57
– Laboratory equipment for the investigation of irreversible geochemical reactions. With 8 figures in the text 515

Della Giusta, A. s. Basso, R.

Del Moro, A. s. Borsi, S.

Edgar, A. D.: Subsolidus phase relations in the system $NaAlSi_2O_6$–$KAlSi_2O_6$ at 1 kb P_{H_2O} and their bearing on the origin of pseudoleucites and analcime in igneous rocks: corrigenda 138
– s. Arima, M.

Effenberger, H.: Die Kristallstruktur des Minerals Paralstonit, $BaCa(CO_3)_2$. [The crystal structure of the mineral paralstonite, $BaCa(CO_3)_2$.] Mit 4 Abbildungen und 3 Tabellen im Text . . . 353

Fischer, R., Kuzel, H.-J. & Schellhorn, H.: Hydrocalumit: Mischkristalle von „Friedelschem Salz" $3CaO \cdot Al_2O_3 \cdot CaCl_2 \cdot 10H_2O$ und Tetracalciumaluminathydrat $3CaO \cdot Al_2O_3 \cdot Ca(OH)_2 \cdot 12H_2O$? Mit 4 Abbildungen und 5 Tabellen im Text 322

Franke, W. & Ghobarkar, H.: The morphology of titanite grown from aqueous supercritical solutions. With 4 figures in the text . . 564

Ghobarkar, H. s. Franke, W.

Giuseppetti, G. & Tadini, C.: The crystal structure of osarizawaite. With 1 figure and 4 tables in the text 401

Griffin, W. L. s. Takla, M. A.

Gübelin, E. s. Schmetzer, K.

Hara, I., Sakurai, Y., Arita, S. & Paulitsch, P.: Distribution pattern of quartz in granites – evidence of their high-temperature deformation during cooling. With 4 figures and 2 tables in the text 20

Heling, D.: Tonmineraldiagenese und Paläotemperaturen im gebleichten mittleren Buntsandstein am Westrand des Rheingrabens. [Clay mineral diagenesis and paleotemperatures in the Buntsandstein (Triassic) at the Western rim of the Rhinegraben.] Mit 6 Abbildungen im Text 1

Hinze, E. & Will, G.: Diffusion and decomposition in the pressure gradient of a diamond anvil squeezer. With 12 figures and 3 tables in the text 481

Hodenberg, R. v. & Struensee, G. v.: Rokühnite, $FeCl_2 \cdot 2H_2O$, a new mineral. With 3 figures and 3 tables in the text 125

Horn, W. s. Schmetzer, K.

Johannes, W. s. Ziegenbein, D.

Kakefuda, K. s. Kimata, M.

Karnin, W.-D.: Petrographic and geochemical investigations on the Tsaobismund pegmatite dyke, South West Africa/Namibia. With 15 figures and 1 table in the text 193

Katagas, C. & Baltatzis, E.: Coexisting celadonitic muscovite and paragonite in chlorite zone metapelites. With 2 figures and 2 tables in the text 206

Katagas, C. s. Sapountzis, E. S.

Keller, P.: Giniit, $Fe^{2+}Fe_4^{3+}[(H_2O)_2|(OH)_2|(PO_4)_4]$, ein neues Mineral aus dem Pegmatit von Sandamab bei Usakos, Namibia. [Giniite, a new mineral from the pegmatite of Sandamab near Usakos, Namibia.] Mit 2 Abbildungen und 2 Tabellen im Text 49

– Giniit, $Fe^{2+}Fe_4^{3+}[(H_2O)_2|(OH)_2|(PO_4)_4]$: neue kristallographische Daten. [Giniite: new crystallographic data.] Mit 1 Tabelle im Text 561

Kimata, M.: Synthesis and properties of monoclinic $KGaSi_3O_8$ feldspars coexisting with Ga-muscovite, $KGa_2(Ga, Si_3)O_{10}(OH)_2$. With 5 figures and 3 tables in the text 37

Kimata, M. & Kakefuda, K.: Synthesis and thermal decomposition of Ga-bicchulite $Ca_2Ga_2SiO_6(OH)_2$. With 7 figures and 4 tables in the text 415

Knobloch, D., Pertlik, F. & Zemann, J.: Crystal structure refinements of buetschliite and eitelite: a contribution to the stereochemistry of trigonal carbonate minerals. With 4 tables in the text . . . 230

Koritnig, S.: Die Messung der Stärke der Anisotropie bei gekreuzten Polarisatoren im Auflicht. [The measurement of the strength of anisotropy by crossed polarizers in reflected light.] Mit 1 Abbildung und 2 Tabellen im Text 131

Kraeff, A., Poorter, R. P. E. & Schuiling, R. D.: Additional information on charoite. With 2 tables in the text 498

Kroll, H.: Estimation of the Al,Si distribution of alkali feldspars from lattice translations tr[110] and tr[1$\bar{1}$0]. Revised diagrams. With 2 figures in the text 31

Kuzel, H.-J. s. Fischer, R.

Lamoen, Hans van: Ti-zoning in corona hornblende of iron ore-bearing gabbros, Susimäki, Finland. With 3 figures and 1 table in the text 88

Mader, D.: Authigener Rutil im Buntsandstein der Westeifel. [Authigenic rutile in the Bunter of Western Eifel (Germany).] Mit 6 Abbildungen im Text 97

– Vulkanische Gesteinsbruchstücke im Buntsandstein der Westeifel. [Volcanic rock fragments in the Buntsandstein of Western Eifel (Germany).] Mit 8 Abbildungen im Text 314

Mariolacos, K.: Phasenbeziehungen im System Bi_2S_3–PbS–Cu_2S bei 440 °C. [Phase relations in the system Bi_2S_3–PbS–Cu_2S at 440 °C.] Mit 1 Abbildung und 1 Tabelle im Text 396

Massonne, H.-J. s. Mirwald, P. W.

Menchetti, S. s. Cipriani, N.

Mengel, K. & Pourmoafi, M.: Alkali-, Erdalkali- und 3-d-Übergangselemente in Basalten der Nördlichen Hessischen Senke. Mit 2 Abbildungen und 2 Tabellen im Text . . . . . .

Mirwald, P. W. & Massonne, H.-J.: Quartz ⇄ coesite transition and the comparative friction measurements in piston-cylinder apparatus using talc-aisimag-glass (TAG) and NaCl high pressure cells: A discussion. With 2 figures and 1 table in the text 4

Nakajima, Y. & Ribbe, P. H.: Alteration of pyroxenes from Hokkaido, Japan to amphibole, clays, and other biopyriboles. With 7 figures in the text 2

Ottemann, J. s. Schmetzer, K.

Otto, J. s. Büsch, W.

Papadakis, A. & Amstutz, G. C.: Rogenpyrite in recent beach sands of Loutra Eleftheron, Greece. With 7 figures in the text 1

Paulitsch, P. s. Hara, I.

Pertlik, F. s. Knobloch, D.

Plimer, I. R.: Hydrothermal mobilization of silver during retrograde metamorphism at Broken Hill, Australia. With 3 figures in the text 4

Poorter, R. P. E. s. Kraeff, A.

Pourmoafi, M. s. Mengel, K.

Radoslovich, E. W. & Slade, P. G.: Pseudo-trigonal symmetry and the structure of gorceixite. With 4 figures and 3 tables in the text . . 1

Reitan, P. H., Roelandts, I. & Brunfelt, A. O.: Optimum ionic size for substitution in the M(2)-site in metamorphic diopside. With 1 figure and 3 tables in the text 1

Ribbe, P. H. s. Nakajima, Y.

Roelandts, I. s. Reitan, P. H.

Rose, D.: Brabantite, $CaTh[PO_4]_2$, a new mineral of the monazite group. With 4 figures and 5 tables in the text 2

Sabelli, C. s. Cipriani, N.

Sakurai, Y. s. Hara, I.

Sapountzis, E. S. & Katagas, C.: Idocrase (vesuvianite) from the Kozani area (North Greece). With 1 figure and 3 tables in the text 4

Sassi, F. P. s. Borsi, S.

Schellekens, J. H.: Application of the garnet–cordierite geothermometer and geobarometer to gneisses of Attu, SW Finland; an indication of P and T conditions of the lower granulite facies. With 1 figure and 4 tables in the text . . . . . .

Schellhorn, H. s. Fischer, R.

Schmetzer, K. & Gübelin, E.: Alexandrite-like natural spinel from Sri Lanka. With 2 figures and 2 tables in the text 4

Schmetzer, K., Horn, W. & Bartelke, W.: Kobalt- und Nickelhaltiger Koritnigit aus Jáchymov (Joachimsthal), ČSSR – ein zweiter Fundpunkt. [Cobalt- and nickel-bearing koritnigite from Jáchymov (Joachimsthal), ČSSR – a second occurrence.] Mit 1 Abbildung und 1 Tabelle im Text 237

Schmetzer, K., Ottemann, J. & Bank, H.: Schlossmacherit, $(H_3O,Ca)Al_3[(OH)_6|((S,As)O_4)_2]$, ein neues Mineral der Alunit-Jarosit-Reihe. [Schlossmacherite, a new mineral of the alunite-jarosite group.] Mit 3 Tabellen im Text 215

Schnorrer, G. s. Süsse, P.

Schuiling, R. D. s. Kraeff, A.

Seifert, F. s. Yund, R. A.

Slade, P. G. s. Radoslovich, E. W.

Struensee, G. v. s. Hodenberg, R. v.

Süsse, P. & Schnorrer, G.: Helmutwinklerite, a new arsenate mineral from Tsumeb, S. W. Africa. With 3 figures and 4 tables in the text 118

Tadini, C. s. Giuseppetti, G.

Takla, M. A. & Griffin, W. L.: New data on cancrinite and its alteration products from St. John's island, Red Sea, Egypt. With 5 figures and 1 table in the text 345

Van Wambeke, L.: Latrappite and ceriopyrochlore, new minerals for the Federal Republic of Germany. With 1 table in the text 171

Velasco, F. s. Amigó, J. M.

Visona', D. s. Borsi, S.

Walitzi, E. M. & Walter, F.: Über die Raumgruppensymmetrie von Omphaziten aus eklogitischen Gesteinen der Kor- und Saualpe (Steiermark, Kärnten), Österreich. [Space group symmetries of omphacites in eclogitic rocks from the Koralpe and from the Saualpe (Styria, Carinthia), Austria.] Mit 3 Abbildungen und 1 Tabelle im Text 449

Walter, F. s. Walitzi, E. M.

Will, G. s. Hinze, E.

Wimmenauer, W.: Lithology of the Precambrian in the Schwarzwald. An interim report. With 3 figures and 1 table in the text. . . . 364

Yund, R. A., Ackermand, D. & Seifert, F.: Microstructures in the alkali feldspars from the granulite complex of Finnish Lapland. With 1 figure and 1 table in the text 109

Zák, L.: Isomorphism and polymorphism in the bismuthinite–aikinite group. With 1 figure and 1 table in the text 440

Zakrzewski, M. A.: Two occurrences of alabandite in Bergslagen, Central Sweden – Garpenberg Norra mine and Sätra mine, Doverstorp. With 2 figures and 1 table in the text 555

Zemann, J. s. Knobloch, D.

Ziegenbein, D. & Johannes, W.: Graphite in C–H–O fluids: an unsuitable compound to buffer fluid composition at temperatures up to 700 °C. With 8 figures and 1 table in the text 28

Zirpoli, G. s. Borsi, S.

Tagung

Orléans: XIIth General Meeting of the International Mineralogical Association 19

Mitteilungen

Mineralogical Association of South Africa (MASA) 33

Stellenanzeige 14